To the Chairman and Members of the Bootle Rural District Council.

GENTLEMEN,-

I beg to submit my Annual Report for 1918.

The Birth Rate, 16.84, is exactly the same as last year.

The Death Rate, 17.6, is higher than for many years. This is due to the epidemic of Influenza during the last quarter of the year, which was responsible for 19 deaths.

The Infant Mortality Rate, 29.4, is lower than last year, and is a good one even for Rural Districts.

Infectious Diseases.—With the exception of Influenza, which is not a notifiable disease, the District has been more free than usual from infectious disease. Only one case of Tuberculosis was notified during the year, which is a distinct improvement on previous years. Of the seven cases of Diphtheria notified, five occurred in one house. Some Influenza appeared in July and August, most of the cases being imported by visitors from large towns, and were of a mild type, without any mortality. In November and December there was a return of the disease, a large number of people being affected, and a high rate of mortality prevailed.

I append Table of Statistics, and am, Gentlemen,
Your obedient servant,

W. A. JOHNSTON,M.O.H., Bootle Rural District.

Table I.—Vital Statistics of District during 1918.

	Rate	15.8			17.6
Net Deaths belonging to the District.	- San	Number Registered in District, 86.		Transferred 10.	Total 96
Net Deaths belo	Under I Year of Age.	Rate per 1000 Net Births.	9053		
	Under	.Number.	ଚ	-	
Births.	Rate.		16:84		
	Number.		109		
	Population Estimated	for Death Rate	5433, for Rirth Data	6056.	

Table II.—Cases of Infectious Diseases Notified during 1918.

	All the Cases of Diphtheria were removed to	the Joint Isolation Hospital.		
1~	emmil	provide	5.5 5.5	
DIPHTHERIA	TUBERCULOSIS-LUNGS	POLIOMYELITIS	MEASLES	

TABLE III.—Causes of Death in Bootle Rural District, 1918.

Causes of Death.	Males.	Females.
(Civilians Only). At.L Causes.	42	44
I Enteric Fever	12 2 8	7 1 3
15 Organic Heart Disease 16 Bronchitis 17 Pneumonia (all forms) 18 Other Respiratory Diseases 19 Diarrhœa, &c. (under 2 years) 20 Appendicitis and Typhlitis 21 Cirrhosis of Liver 21A Alcoholism 22 Nephritis & Bright's Disease 23 Puerperal Fever 24 Parturition, apart from puerperal fever	5 1 1	3 3 3 3
25 Congenital Debility, &c 26 Violence, apart from Suicide 27 Suicide 28 Other Defined Diseases 29 Causes ill-defined or unknown	1 3 8	1 2 14
Special Causes (included above) Cerebro-spinal fever Poliomyelitis	1	
Deaths of Infants under 1 year of age	2	I
TOTAL BIRTIS '	45	57
Legitimate	41 4	55 .
Population for Death-rate ,, Birth-rate	5,43 6,05	

Table IV.—Infant Mortality.

CAUSE OF DEATH:

Congenital Heart Disease	1	Rate per
Congenital Debility	2	1000
	Total 3	20.4

DEATHS:

Legitimate 1. Illegitimate 2.